

WATER QUALITY INDEX OF SURFACE WATER BODIES AT DIFFERENT LOCATION IN MEGHALAYA UNDER NWMP FOR AUGUST 2020

Station Code	WATER QUALITY CRITERIA →	pH 6.5 - 8.5	DO >4.0 mg/l	BOD <3.0mg/l	FC <2500MPN/100ml	TC <5000MPN/100ml	FS <500 MPN/100ml	Water Quality Status
	LOCATION NAME ↓							
1347	UMIAM	7.9	6.5	5.1	420	1100	27	Not Satisfactory
3346	UMIAM LAKE AT OUTFALL OF UMIAM RIVER	7.7	5.8	6.1	340	840	41	Not Satisfactory
3347	UMIAM LAKE MIDDLE POINT	7.8	6.2	5.2	380	790	25	Not Satisfactory
3348	UMIAM LAKE NEAR UNITED CHRISTIAN COLLEGE	7.5	6.4	5.0	310	700	21	Not Satisfactory
1348	WARD'S LAKE	7.1	7.1	3.7	110	430	31	Not Satisfactory
3350	UMKHEN AT WAHKDAIT	7.0	6.7	1.9	21	380	7	Satisfactory
3351	UMKHEN AT KSEHPONGDENG	6.7	6.9	1.8	11	63	4	Satisfactory
3352	UMKHEN AT DIENGPASOH	7.5	7.6	1.5	6	84	2	Satisfactory
3353	UMIAM MAWPHLANG AT NONGKREM	6.8	6.8	1.9	31	280	11	Satisfactory
3354	UMIAM MAWPHLANG UMTYNGNGAR	7.1	6.9	2.0	21	240	6	Satisfactory
3355	UMIAM MAWPHLANG AT MAWPHLANG	6.8	7.2	1.6	23	310	--	Satisfactory
3356	UMIAM MAWPHLANG AT SHELLA	7.9	7.3	1.5	4	94	2	Satisfactory
3357	UMNGOT RIVER AT SMIT	6.9	6.9	1.9	17	220	--	Satisfactory
3358	UMNGOT RIVER AT DAWKI	7.1	7.2	1.6	4	43	--	Satisfactory
3363	UMSHYRPI AT RISA COLONY	6.9	6.9	1.9	7	58	2	Satisfactory
3364	UMSHYRPI NEAR LAW COLLEGE	6.7	4.1	15.0	8400	33000	2300	Not Satisfactory
3365	UMSHYRPI AT UMSHYRPI BRIDGE	7.1	6.8	6.0	3100	7900	790	Not Satisfactory
3359	UMKHRAH AT DEMTHRING	6.7	4.5	10.0	4900	12000	1300	Not Satisfactory
3360	UMKHRAH AT UMKALIAR	7.4	6.2	6.4	3800	9400	920	Not Satisfactory
3361	UMKHRAH AT NEAR SLAUGHTER HOUSE	7.2	4.6	12.0	7900	32000	1400	Not Satisfactory
3362	UMKHRAH AT MAWPDANG MAWLAI	7.3	5.0	9.4	5800	22000	1700	Not Satisfactory
1422	UMTREW AT BYRNIHAT	7.3	6.9	2.7	270	840	21	Satisfactory
3366	UMTREW AT UMRAN	7.2	6.7	1.8	43	410	13	Satisfactory
3368	NONBAH AT PHODSOHSAT	6.9	6.9	1.7	4	63	2	Satisfactory
3367	NONBAH AT NONGSTOIN	7.0	7.0	2.5	110	520	14	Satisfactory

WATER QUALITY INDEX OF SURFACE WATER BODIES AT DIFFERENT LOCATION IN MEGHALAYA UNDER NWMP FOR AUGUST 2020

Station Code	WATER QUALITY CRITERIA →	pH 6.5 - 8.5	DO >4.0 mg/l	BOD <3.0mg/l	FC <2500MPN/100ml	TC <5000MPN/100ml	FS <500 MPN/100ml	Water Quality Status
	LOCATION NAME ↓							
3369	KYN Shi AT SOHIONG	6.7	6.5	1.8	13	130	--	Satisfactory
3370	KYN Shi AT NONGKHNUM	6.8	7.1	1.4	2	42	--	Satisfactory
3371	KYN Shi AT RANIKOR	6.7	7.4	1.7	6	63	2	Satisfactory
3372	RILANG RIVER AT MAWKYRWAT	7.3	7.2	1.5	4	42	2	Satisfactory
3373	WAHBLEI AT RIANGDO	6.6	6.8	1.7	6	70	2	Satisfactory
3374	WAHBLEI AT SHADDKHAR	7.1	7.0	1.4	12	120	2	Satisfactory
1631	MYNTDU AT JOWAI	6.7	7.1	2.4	140	460	17	Satisfactory
3379	MYNTDU AT LESHKA	5.0	7.1	1.6	15	120	2	Not Satisfactory
1459	THADLASKEIN	6.9	6.7	1.8	9	110	4	Satisfactory
1428	KYRHUKHLA	3.7	7.2	2.4	0	4	0	Not Satisfactory
3375	LUNAR RIVER (TRIBUTARY OF LUKHA RIVER) AT MYNDIHATI	2.8	6.9	2.5	0	0	0	Not Satisfactory
3376	LUKHA RIVER AT SUNAPUR	7.5	6.8	1.8	4	32	2	Satisfactory
3377	MYNTANG RIVER AT NARTIANG	6.9	7.1	1.7	13	140	4	Satisfactory
3378	MYNTANG RIVER AT MYNSO	7.0	6.9	1.7	7	54	4	Satisfactory
1632	GANOL AT TURA	7.6	7.5	1.6	150	220	--	Satisfactory
1633	SIMSANG AT WILLIAMNAGAR	7.7	7.0	1.8	70	310	--	Satisfactory
3349	TASEK LAKE AT SONGSAK	7.2	7.5	2.0	38	350	--	Satisfactory
3380	DAMRING AT RESUBELPARA	7.4	7.0	1.8	27	280	--	Satisfactory
3381	MANDA AT JAMPA	7.3	7.0	1.6	20	280	--	Satisfactory
3382	MANDA AT WAGAI SI	7.7	7.0	1.6	24	170	--	Satisfactory
3383	BUGI AT MEBANPARA	7.8	7.0	2.0	17	120	--	Satisfactory
3384	DALU	7.6	7.3	1.9	6	130	--	Satisfactory
4304	RIVER SDERKARIAH SOHRA (CHERRAPUNJEE)	4.7	7.0	1.8	4	70	2	Not Satisfactory
4305	LAITRYNGEW STREAM LAITRYNEW	4.3	7.2	1.7	2	31	--	Not Satisfactory
4306	WAH KHLEK KHLEK RIVER SAITSOHPEN	7.4	6.9	1.8	0	49	0	Satisfactory
4307	WAH REW RIVER	7.4	7.8	1.4	0	4	0	Satisfactory
4308	UMNGI RIVER AT JAKREM	7.2	7.6	1.2	2	27	--	Satisfactory

WATER QUALITY INDEX OF SURFACE WATER BODIES AT DIFFERENT LOCATION IN MEGHALAYA UNDER NWMP FOR AUGUST 2020

Station Code	WATER QUALITY CRITERIA →	pH 6.5 - 8.5	DO >4.0 mg/l	BOD <3.0mg/l	FC <2500MPN/100ml	TC <5000MPN/100ml	FS <500 MPN/100ml	Water Quality Status
	LOCATION NAME ↓							
4309	UMNGI RIVER AT UMPUNG	7.2	7.6	1.3	9	32	--	Satisfactory
4310	RWIANG RIVER AT RWIANG	7.2	7.6	1.2	14	63	2	Satisfactory
4311	KALIPAI RIVER AT RYMBAI	3.2	6.8	2.0	0	4	0	Not Satisfactory
4312	KME UM RIVER RYMBAI	3.5	6.9	1.9	0	0	0	Not Satisfactory
4313	WAIKHYRWI RIVER MOOKLHLOT	4.0	7.0	1.8	0	2	0	Not Satisfactory
4314	KWAI RIVER SUTNGA MAWPUN	4.1	6.8	1.7	6	23	2	Not Satisfactory
4315	LUKHA RIVER KHADDUM	7.6	7.0	1.2	4	48	2	Satisfactory
4316	MYNTDU RIVER MIH MYNTDU	6.8	6.8	1.8	17	240	6	Satisfactory
4317	LAMU RIVER AT LESHKA	6.8	6.9	1.5	12	130	4	Satisfactory
4318	LYNRIANG RIANG RIVER AT LESHKA	5.0	6.7	1.8	0	17	0	Not Satisfactory
4319	UMIUREM RIVER IALE	3.7	6.9	1.6	0	0	0	Not Satisfactory
4320	KUPLI RIVER IOOKSI	4.2	6.9	2.0	0	4	0	Not Satisfactory
4321	KUPLI RIVER KHANDONG	4.4	7.2	1.8	4	14	2	Not Satisfactory
4322	THLUMUWI RIVER AT THLUMUWI	5.3	6.9	1.8	9	42	2	Not Satisfactory
4326	SIMSANG RIVER AT BAGHMERE	7.4	6.8	2.0	14	130	--	Satisfactory
4110	NONGAL RIVER AT NONGALBIBRA	4.6	7.0	1.8	12	130	--	Not Satisfactory
4111	SIMSANG RIVER NONGALBIBRA	7.5	6.9	1.8	23	210	--	Satisfactory
4112	GANOL RIVER TURA AT GAROBADHA	7.6	7.0	1.5	42	220	--	Satisfactory
4113	DAMRING RIVER AT BOLDANGRE	7.5	6.8	1.5	31	240	--	Satisfactory