

EXECUTIVE SUMMARY

OF

RI LAI NGUT LIMESTONE MINE

For Public Hearing

At

Vill- Ri Lai Ngut, Tyngwai Area, Sohbar Sirdarship

District: East Khasi Hills, State: Meghalaya

Lease Area: 1.40 ha.

Applicant: Smti. Dron Dohling

Address: Village-Sohbar, Sohbar Sirdarship

Dist-East Khasi Hills, State- Meghalaya

Environmental Consultant

INDIAN MINE PLANNERS & CONSULTANTS

GE-61, RAJDANGA MAIN ROAD

BEHIND VIVANTA HOTEL, EM- BYPASS

KOLKATA (WEST BENGAL)

PIN- 700107

(QCI –NABET ACCREDITED ENVIRONMENTAL CONSULTING ORGANIZATION,

ACCREDITATION NO.- QCI/NABET/ENV/ACO/18/0727)

EXECUTIVE SUMMARY

Introduction

The Project Proponent, Smti. Dron Dohling has applied for mining lease for minor mineral (Limestone) in her privately owned land over an area of 1.40 Ha. located at Ri Lai Ngut, Tyngwai Area, Sohbar Sirdarship & East Khasi Hills District. The Project has been planned for a production of 50000 TPA.

In the present case the State Expert Appraisal Committee, Meghalaya (SEAC) in its ToR meeting held during November 30 to 01 December, 2020 followed by SEIAA' meeting dated 15.12.2020 issued TOR letter vide no. ML/SEIAA/MIN/EKH/P-96/2020/15/1397; dated 08th January, 2021 for undertaking detailed EIA study for the purpose of obtaining environmental clearance in accordance with the provisions of the EIA Notification; 2006.

In order to assess to potential environmental impacts likely to arise due to proposed Limestone Mine at Ri Lai Ngut, Tyngwai Area, Sohbar Sirdarship & East Khasi Hills District Smti. Dron Dohling has retained **Indian Mine Planners & Consultants, Kolkata** to undertake Environmental Impact Assessment studies. The report envisages the assessment of the impact of various environmental components and its mitigation measures in order to minimize the adverse impacts.

EXECUTIVE SUMMARY

Description of the Project

The salient features of the proposed Limestone mine are as under:-

Project Name	RI LAI NGUT LIMESTONE MINE
Location of mine	Village- Ri Lai Ngut, Lynti Dkhar Area Sohbar Sirdarship District- East Khasi Hills, State- Meghalaya.
Latitude	N 25°11'14.975" TO N 25°11'20.089"
Longitude	E 91°44'54.782" TO 91°45'01.778"E
Topo sheet number	780/12 & 78016
Land use	1.40 Ha
Minerals of mine	Limestone
Total Mineable reserves	653972 MT
Life of mine	20 years
Proposed production of mine	32643 TPA / 109 TPD
Method of mining	Opencast, semi-mechanized
No of working days	300 days
Water demand	Total water requirement is about 2.50 KLD (0.5 KLD Domestic Uses) + 1.00 KLD (Dust Suppression) & 1.00 KLD (Green Belt) from nearby water sources.
Sources of water	Water for drinking purpose will be met from nearby villages. For sprinkling & plantation water will be taken from private tanker.
Man power	31 (Approx.)
Nearest railway station	No Railway Station is nearby.
Nearest airport	Umroi Airport Shillong about 62 Km away from applied area in NE direction.
Seismic zone	Zone V

Vicinity map and study area map of the 10 km radius around the project site is presented in **Figure 1** and **2**.

EXECUTIVE SUMMARY




Figure 1
Vicinity Map

EXECUTIVE SUMMARY




Figure 2
10 km Radius Map around the Project Site

EXECUTIVE SUMMARY

Basic Requirement for Proposed Project:

Details are presented below:

Sl. No	Requirement	Approx quantity/day
1.	HLD (Diesel)	100 liters
2.	Ammonium Nitrate (Explosives)	1 Kg

Mining Method:

- ❖ Semi Mechanized open cast mining will be undertaken with drilling and blasting.
- ❖ The width of each bench shall always be maintained to be not less than the height which is 6 m.
- ❖ Since the deposit in this area is massive and compact in nature, it is proposed to carry out only opencast semi-mechanized mining during this plan period, i.e. five years.
- ❖ Drilling and Blasting The operations like drilling of shot holes, sorting of stone and breaking of large sized boulders will be excavated using hydraulic rock breakers and excavators with deploying of Jack hammer drilling (39-34 mm dia) having burden and spacing of 1.6 m x 2.0 m in stagger grid pattern.
- ❖ To avoid fly rock problem at the edge of the hill, light charged muffle blasting shall be under taken.
- ❖ The shot hole blasting will be carried out manually. The shots will be fired electrically using exploder approved by DGMS.
- ❖ In case of non-availability of electric detonators provision will be kept for ordinary fuse blasting.
- ❖ Daily explosives consumption will be 1 kg.
- ❖ ROM from the mine will be transported to destinations.

Description of the Environment:

The baseline environmental quality data for various components of environment, viz. Air, Noise, Water, Land and Socio-economic were generated during December 2019 to February 2020 in the study area covering 10 km around the proposed Limestone Mine. Other environmental data on flora and fauna, land-use pattern, forest etc were also generated through field surveys and also collected from different State Govt. Departments.

EXECUTIVE SUMMARY

Air Environment:

Ambient air quality was monitored at 9 locations. Results indicate that concentrations of PM_{2.5}, PM₁₀, SO₂, NO_x are well within the prescribed standards.

PM ₁₀ -	46-84 µg/m ³
PM _{2.5} -	21-35 µg/m ³
SO ₂ -	4.0-8.8 µg/m ³
NO _x -	6.0-11.0 µg/m ³

An automatic weather monitoring station was installed at the project site to record micro-meteorological data. Pre-dominant wind directions were observed in the winter season is from N, NNE & NNW.

Noise Environment:

The noise levels in the study area are within the prescribed standards. Noise levels ranges from 52.9 dB (A) to 55.8 dB (A) during day time and 37.8 dB (A) to 40.7 dB (A) in the night time.

Water Environment:

It has been observed that all the physico-chemical parameters and heavy metals of water samples from surface and ground water are below the stipulated drinking water standards. The pH, TDS, and Hardness of the surface water were found in range of 7.20-7.30, 112.0-114.0 mg/land 71.20-74.20 mg/lit respectively, whereas the ground water showed pH 6.90-7.20, TDS 98.0-104 mg/lit.

Land Environment:

The break-up of the existing land use for the project is given below:

Breakup of Land Use

LANDUSE (EXISTING)

Category	Area in Hectares
Mined out Land	0.00
Road	0.01
Total area in use	0.01
Balance unused area	1.39
Total Applied Lease Area	1.40

EXECUTIVE SUMMARY

LAND USE PATTERN AFTER FIRST FIVE YEARS PLAN PERIOD

Category	Area in Hectares
Mined out Land including road	0.70
Green belt in Safety Barrier	0.18
Dump with parapet wall and garland drain	0.03
Total area in use	0.91
Balance unused area	0.49
Total Applied Lease Area	1.40

LANDUSE (AT END OF MINE LIFE)

Category	Area in Hectares
Mined out Land including Reclamation	1.04
Green Belt (within Safety Barrier)	0.36
Total area in use	1.40
Balance unused area	0.00
Total Applied Lease Area	1.40

Soil:

The soil quality assessment was carried out at seven locations. The bulk density of the soil in the study area ranges between 1.41 to 1.47 gm/cm³, which indicate favorable physical condition for plant growth. Variation in the pH of the soil in the study area were observed and it is found to be neutral (7.5 to 7.91), thus conducive for growth of plant. Organic carbon and nitrogen are found in the range of 0.69-0.86 % and 0.94-1.10 %. This shows that soil is moderately good in organic and deficit in nitrogen contents. Primary nutrient profile shows that soil is low in fertility due to the availability of low amount of nitrogen and potassium.

Flora & Fauna:

The density of the plant in core zone in general is very low due to rocky terrain and low soil content. The floral found in the whole of the study area are representative of the Tropical Lower Montane Forest, Tropical Semi-Evergreen, Moist-Broadleaf Forest, Tropical Deciduous/Semi-Deciduous, Broadleaf Forest and Tropical Sparse trees. There are is no schedule I Species of Fauna found in both core as well as buffer zone. The main crops grown in nearby areas are Wheat, rice, potatoes and pulses.

EXECUTIVE SUMMARY

Socio-economic Status:

The study has been conducted by primary survey and secondary data source from Census of India 2011.

The primary socio economic study has been conducted in 4 villages. The results are discussed below:

- **Core Zone:** There is no habitation in the core zone
- **Buffer Zone:** The total number of Households of the study area in rural village area are 8756 as per. The details are given below.
- **Population:**

The total population of the study area is 44513 constituting 22381 Male and 22132 Female.

- **Social Structure**

The proportion of Scheduled Caste (SC) population within the study area is 2.06 % and the percentage of schedule Tribe (ST) is 83.78%.

- **Literacy**

The total proportion of literate within the study area is 63.40% of total population. In percentage the male literacy 32.06% and the female literacy is 31.35% respectively within study area.

Anticipated Environmental Impact & Mitigation Measures:

1. Land Environment: The proposed project of limestone mining will definitely change the land use. However the area will be reclaimed by the following measures:

- To minimize the effect of mining plantation will be in done along the 7.5m boundary of the mine area and after the exhaustion of the pit whole area will be reclaimed into green cover. After the conceptual mining there will be a mine void which will be extensively planted.
- Mining operations will be confined strictly within the demarcated area.
- During Plan period some quantity of gritty soil (1890 MT) will be removed and will be stacked in a specific stack-yard. It will be used for road

EXECUTIVE SUMMARY

maintenance and plantation.

- The dust generation due to the mining will be minimized by sprinkling of water through water sprinkler.
- No effect on public buildings or monuments is envisaged as there are no public buildings/ monuments in the close vicinity of the mining lease area.

2. Water Environment: Total water requirement in the proposed mining project is 2.5 KLD. Water for drinking purpose will be met from nearby villages. For sprinkling & plantation water will be taken from private tanker. Mining will be restricted up to a depth of 18 m. There is no possibility of mining encountering any surface/subsurface water body. To avoid contamination of ground water from the open defecation by workers, toilets will be provided for the workers at site with septic tank followed by soak pit.

3. Air Environment: The air borne particulate matter is the main air pollutant contributed by opencast mining with drilling and blasting. Various emission sources are identified from the proposed mining operations. However the area will be reclaimed by the following measures:

- Drilling machines will be equipped with dust collector arrangement and wherever required wet drilling arrangement will be used to prevent generation and spreading of dust.
- Personnel working on the drills and other mining activities will be provided with dust mask and other necessary Personal Protective Equipments (PPE). Health checkups will be done biannually to monitor the health of the workers.
- Regular maintenance of vehicles and machinery will be done.
- Water tankers with suitable sprinkling system will be deployed along haul roads and other unworked areas to control fugitive emission.

4. Noise Environment: The proposed mining operations will be carried by using latest equipments by open cast semi mechanized mining method. Hydraulic excavator will be used in excavation. Hence workers will be given protective gears such as goggles, dust masks, gloves, helmets and earmuffs. Plantation will be done to create cover from high noise. Task rotation of workers will be done exposed to noise.

EXECUTIVE SUMMARY

5. Biological Environment: There is no Forest area diversion is required in the proposed mining. The fauna in the vicinity of the mine is restricted to few common species. There will hardly be any negative impacts on terrestrial eco-system comprising birds and animals as the ML area is only 1.40 Ha. On the contrary, with progressive growth of greenery, terrestrial eco-system will improve in course of time. There will be no Schedule-I species found in study area.

6. Socio- Economic environment: The project will enhance direct and indirect employment in the area. Therefore overall economic development is much likely after the commencement of the project. The project will provide skill based training to the locals and will generate chance of indirect employment in the area.

7. Mine Waste: Mine waste, alluvial soil and overburden will be stacked at separate stack yard and will be use for road construction and plantation. Mining shall not be done during rains and there shall be construction of retaining wall and garland drain to prevent surface runoff. Hazardous waste such as used oil shall be stored properly and sold to registered-processor. Domestic waste water due to daily human activities which shall be properly disposed off into septic tanks followed by soak pits. Other domestic solid waste such as Wrappers, foils, left- over food material etc shall be collected in separate bins. Biodegradable waste will be composted and used as manure.

8. Impacts due to transportation: The entire mineral will be transported to the Cement plant through trucks. Transportation shall be done by 2 no. of 10 tonner trucks. As per study done there will not be any congestion due to proposed project on the road.

Environmental Monitoring Programme:

The environmental monitoring is important to assess performance of pollution control equipment installed at the project site. The sampling and analysis of environmental attributes including monitoring locations will be as per guidelines of the Central Pollution Control Board/State Pollution Control Board

- Environmental monitoring will be conducted on regular basis by Smti.

EXECUTIVE SUMMARY

Dron Dohling to assess the pollution level in and around the project area

- Adequate budgetary provision shall be made towards implementation of Environmental Management Plan

Risk Assessment & Disaster Management Plan: Mining will be carried out by semi mechanized opencast mining, with mining equipments as hydraulic excavator, dumpers etc involving drilling and blasting. Mining will be done under strict supervision hence the rate of operational risks is minimal.

Rehabilitation and Resettlement: There will be no rehabilitation and resettlement on account of mining. There is no human habitation at the project site and the land is deemed forest land.

Project benefits: The proposed mining project has a significant positive impact on the socio-economic environment and it will help sustain the overall development of the area.

The proposed project significantly contributes the economic development by providing direct employment to 31 people and indirect employment to many more people in the area.

PP will organize Camps for vocational training to generate employment.

Environmental Management Plan: Preparation of Environmental Management Plan (EMP) is required for formulation, implementation and monitoring of environmental protection measures during and after commissioning of the proposed mining project. The project cost is Rs.29.08 Lakh and the EMP capital cost Rs. 1.60 Lakh (Annual recurring cost).

Budgetary Provision for Environmental Measures:

Sl. No.	Particulars	Annual Recurring Cost
1.	Pollution Monitoring	120000.00
2.	Progressive reclamation of Mine pits including OB dumps	20000.00
3.	Miscellaneous expenditure	20000.00
	Total	160000.00

EXECUTIVE SUMMARY

Corporate Social Responsibility:

Being a corporate citizen the company has the responsibility of contributing to the welfare of the society in which it operates. The company will organize various awareness programmes for its employee and the general public of the area where it operates to ensure a better, sustainable way of life for the weaker sections of society.

Budgetary Provision for CSR Activity

ACTIVITIES	COST (In Rs)
School infrastructure including furniture, books, Computer, sports kit to Ichamati RMSA Secondary School.	60,000.00
School dress to 30 students of Ichamati RMSA Secondary School	25,000.00
Maintenance & Construction of village roads	25,000.00
Medical camp & free medicines to poor	10,000.00
Water supply arrangement & sanitation for local villagers	30,000.00
Total	1,50,000.00
Total for five years i.e. 5%of project cost	1,45,400.00

Occupational Health and Safety:

Effective implementation of measures suggested for pollution control will ensure safety and health of the workers.

Green belt development: It has been initiated by the proponent and total 290 saplings will be planted during plan period. However as per conceptual plan entire lease area will be planted. Locally thriving species will be planted in consultation with forest department.

- Among other environmental protection following measures are listed below:
- Sprinkling of water for dust suppression on mine haul roads.
- Regular Compaction & grading of haul roads and service roads to clear accumulation of loose material.
- Avoid overloading of dumpers and consequent spillage on the roads.
- Good maintenance of vehicles & machinery.
- Water sprinklers of fixed type will be provided at the mine approach roads from mine face / benches to crush hopper to prevent the generation of dust.