EXECUTIVE SUMMARY

OF

MANGGAPARA STONE QUARRY

For Public Hearing

At

Village-Manggapara Grenggandhi, P.O- Zekabari, P.S- Tura, District- West Garo Hills, State- Meghalaya Lease Area: 0.937 ha.

Applicant: Shri Koberth Ch. Marak

Address: Village- Kimbokgre, P.O.- Zekabari, P.S.- Tura Distt: West Garo Hills, State: Meghalaya

Environmental Consultant

INDIAN MINE PLANNERS & CONSULTANTS GE-61, RAJDANGA MAIN ROAD BEHIND VIVANTA HOTEL, EM- BYPASS KOLKATA (WEST BENGAL) PIN- 700107 (QCI –NABET ACCREDITED ENVIRONMENTAL CONSULTING ORGANIZATION, ACCREDITATION NO.- QCI/NABET/ENV/ACO/18/0727)

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

Introduction

The Project Proponent, Shri Koberth Ch. Marak has applied for mining lease for minor mineral (Stone boulder) in her privately owned land over an area of 0.937 Ha. located at Village- Manggapara Grenggandhi, P.O.- Zekabari, P.S.-Tura, District-West Garo Hills, State- Meghalaya. The Project has been planned for a production of 33415 TPA.

In the present case the State Expert Appraisal Committee, Meghalaya (SEAC) in its ToR meeting held on 21.12.2020 followed by SEIAA' meeting dated 19.01.2021 issued TOR letter vide no. ML/SEIAA/MIN/WGH/P-99/2020/9/1625 dated 29th January, 2021 for undertaking detailed EIA study for the purpose of obtaining environmental clearance in accordance with the provisions of the EIA Notification; 2006.

In order to assess to potential environmental impacts likely to arise due to proposed Stone boulder mine at Village- Manggapara Grenggandhi , P.O.- Zekabari, P.S.-Tura, District- West Garo Hills, State- Meghalaya, Shri Koberth Ch. Marak has retained **Indian Mine Planners & Consultants, Kolkata** to undertake Environmental Impact Assessment studies. The report envisages the assessment of the impact of various environmental components and its mitigation measures in order to minimize the adverse impacts.

i

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

Description of the Project

The salient features of the proposed Boulder stone mine are as under:-

Project Name	Manggapara Stone Quarry	
	Village- Manggapara Grenggandhi, P.O Zekabari	
Location of mine	P.STura, District- West Garo Hills	
	State- Meghalaya	
Latitude	N 25°37'47.05''TO N 25°37'50.89''	
Longitude	E 90°00'42.41''TO 90°00'47.21'' E	
Topo sheet number	78K/2	
Land use	0.937 Ha.	
Minerals of mine	Boulder stone	
Total Mineable reserves	334594 MT	
Life of mine	10 years	
Proposed production of	roposed production of 33415 TPA / 112 TPD	
mine		
Method of mining	Opencast, semi-mechanized	
No of working days	300 days	
	Total water requirement is about 4.00 KLD (0.60 KLD	
Water demand	Domestic Uses) + 1.70 KLD (Dust Suppression) & 1.70	
	KLD (Green Belt) from nearby water sources.	
	Water for drinking purpose will be met from nearby	
Sources of water	villages. For sprinkling & plantation water will be taken	
	from Private tanker.	
Man power	25 (Approx.)	
Nearest railway station	Krishnai Railway Station at the distance of approx. 141	
Nearest raiway station	km in North direction.	
Nearest airport	Guwahati Airport is at the distance of approx. 280 km in	
	North East Direction.	
Seismic zone	Zone V	

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

Vicinity map and study area map of the 10 km radius around the project site is presented in **Figure 1** and **2**.

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY




Figure 1 Vicinity Map

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY




Figure 2 10 km Radius Map around the Project Site

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

Basic Requirement for Proposed Project:

Details are presented below:

SI. No	Requirement	Approx quantity
1.	HLD (Diesel)	100 liters/ day
2.	Slurry Explosives	1.25 kg/per day

Mining Method:

- Semi mechanized open cast mining will be undertaken with drilling and blasting.
- The width of each bench shall always be maintained to be not less than the height which is 6 m.
- The operations like drilling of shot holes, sorting of stone and breaking of large sized boulders will be excavated using hydraulic rock breakers and excavators with deploying of Jack hammer drilling.
- The short holes drilled by jackhammers are normally of 39-34 mm diameter. Burden and spacing will be 1.6 m & 2.0 m depending upon the compactness of formation. On this basis each hole will yield 1.6mX2mX3mX2.8m = 26.88 tonnes say 27 tonnes.
- The holes are generally made up to 3.3 m (including 10% sub grade) depth.
 The shot hole blasting will be carried out manually.

Description of the Environment:

The baseline environmental quality data for various components of environment, viz. Air, Noise, Water, Land and Socio-economic were generated during October 2020 to December 2020 in the study area covering 10 km around the proposed boulder stone. Other environmental data on flora and fauna, land-use pattern, forest etc were also generated through field surveys and also collected from different State Govt. Departments.

Air Environment:

Ambient air quality was monitored at 7 locations. Results indicate that concentrations of PM2.5, PM10, SO₂, NOx are well within the prescribed standards.

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

PM10-	49-84 µg/m³
PM _{2.5} -	21-36 µg/m ³
SO ₂ -	4.1-8.1 µg/m ³
NO _× -	9.7-23.2 µa/m ³

An automatic weather monitoring station was installed at the project site to record micro-meteorological data. Pre-dominant wind directions were observed in the post monsoon season is from SE, NE & East.

Noise Environment:

The noise levels in the study area are within the prescribed standards. Noise levels ranges from 53.3 dB (A) to 56.1 dB (A) during day time and 39.8 dB (A) to 41.6 dB (A) in the night time.

Water Environment:

It has been observed that all the physico-chemical parameters and heavy metals of water samples from surface and ground water are below the stipulated drinking water standards. The pH, TDS, and Hardness of the surface water were found in range of 7.30-7.40, 279.0- 280.0 mg/l and 85.2.0-86.4 mg/lit respectively, whereas the ground water showed pH 6.90-7.20, TDS 435.0-465.0 mg/lit.

Land Environment:

The break-up of the land use for the project is given below:

<u>Breakup of Land Use</u> Plan Period		
Category	Area (Hectares)	
Quarry including road	0.60	
Greenbelt in safety barrier	0.17	
Dump with parapet wall & Garland drain	0.05	
Balance unused area	0.117	
Total Applied Lease Area	0.937	
After life of the mine		
Quarry including reclamation	-	
Greenbelt	0.34	
Balance used area	0.597	
Total Applied Lease Area	0.937	

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

Soil:

The soil quality assessment was carried out at five locations. The bulk density of the soil in the study area ranges between 1.45 to 1.51 gm/cm³, which indicate favorable physical condition for plant growth. Variation in the pH of the soil in the study area was observed and it is found to be slightly acidic (6.6 to 6.90), thus conducive for growth of plant. Organic carbon and nitrogen are found in the range of 1.44-1.51 % and 27.30-28.20 mg/100g. This shows that soil is moderately good in organic and deficit in nitrogen contents. Primary nutrient profile shows that soil is low in fertility due to the availability of low amount of nitrogen and potassium.

Flora & Fauna:

The density of the plant in core zone in general is very low due to rocky terrain and low soil content. The floral found in the whole of the study area are representative of the Tropical Lower Montane Forest, Tropical Semi-Evergreen, Moist-Broadleaf Forest, Tropical Deciduous/Semi-Deciduous, Broadleaf Forest and Tropical Sparse trees. There are is no schedule I Species of Fauna found in both core as well as buffer zone. The main crops grown in nearby areas are Wheat, rice, potatoes and pulses.

Socio-economic Status:

The study has been conducted by primary survey and secondary data source from Census of India 2011.

The primary socio economic study has been conducted in villages. The results are discussed below:

- Core Zone: There is no habitation in the core zone
- **Buffer Zone**: The total number of Households of the study area in rural

village area is 20987 as per Census 2011. The details are given below.

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

· Population:

The total population of the study area is 96720 constituting 45558 Male and 48162 Female.

· Social Structure

The proportion of Scheduled Caste (SC) population within the study area is 0.93 % and the percentage of schedule Tribe (ST) is 44.96%.

· Literacy

The total proportion of literate within the study area is 44.14% of total population. In percentage the male literacy 24.0% and the female literacy is 20.14 % respectively within study area.

Anticipated Environmental Impact & Mitigation Measures:

1. Land Environment: The proposed project of boulder stone mining will definitely change the land use. However the area will be reclaimed by the following measures:

- To minimize the effect of mining plantation will be in done along the 7.5m boundary of the mine area and after the exhaustion of the pit whole area will be reclaimed into green cover. After the conceptual mining there will be a mine void which will be extensively planted.
- > Mining operations will be confined strictly within the demarcated area.
- During Plan period some quantity of gritty soil (1821 MT) will be removed and will be stacked in a specific stack-yard. It will be used for road maintenance and plantation.
- The dust generation due to the mining will be minimized by sprinkling of water through water sprinkler.
- No effect on public buildings or monuments is envisaged as there are no public buildings/ monuments in the close vicinity of the mining lease area.

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

2. Water Environment: Total water requirement in the proposed mining project is 4KLD. Drinking water will be sourced by from nearby villages by water tanker. Mining will be restricted up to a depth of 36 m. There is no possibility of mining encountering any surface/subsurface water body. To avoid contamination of ground water from the open defecation by workers, toilets will be provided for the workers at site with septic tank followed by soak pit.

3. **Air Environment:** The air borne particulate matter is the main air pollutant contributed by opencast mining with drilling and blasting. Various emission sources are identified from the proposed mining operations. However the area will be reclaimed by the following measures:

- Drilling machines will be equipped with dust collector arrangement and wherever required wet drilling arrangement will be used to prevent generation and spreading of dust.
- Personnel working on the drills and other mining activities will be provided with dust mask and other necessary Personal Protective Equipments (PPE). Health checkups will be done biannually to monitor the health of the workers.
- > Regular maintenance of vehicles and machinery will be done.
- Water tankers with suitable sprinkling system will be deployed along haul roads and other unworked areas to control fugitive emission.

4. Noise Environment: The proposed mining operations will be carried by using latest equipments by open cast semi mechanized mining method. Hydraulic excavator will be used in excavation. Hence workers will be given protective gears such as goggles, dust masks, gloves, helmets and earmuffs. Plantation will be done to create cover from high noise. Task rotation of workers will be done exposed to noise.

5. **Biological Environment:** There is no Forest area diversion is required in the proposed mining. The fauna in the vicinity of the mine is restricted to few common species. There will hardly be any negative impacts on terrestrial eco-system comprising birds and animals as the ML area is only

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

2.499 Ha. On the contrary, with progressive growth of greenery, terrestrial eco-system will improve in course of time. There will be no Schedule-I species found in study area.

6. Socio- Economic environment: The project will enhance direct and indirect employment in the area. Therefore overall economic development is much likely after the commencement of the project. The project will provide skill based training to the locals and will generate chance of indirect employment in the area.

7. Mine Waste: Mine waste, alluvial soil and overburden will be stacked at separate stack yard and will be use for road construction and plantation. Alluvial soil generated shall be re used for plantation. Mining shall not be done during rains and there shall be construction of retaining wall and garland drain to prevent surface runoff. Hazardous waste such as used oil shall be stored properly and sold to registered-processor. Domestic waste water due to daily human activities which shall be properly disposed off into septic tanks followed by soak pits. Other domestic solid waste such as Wrappers, foils, left- over food material etc shall be collected in separate bins. Biodegradable waste will be composted and used as manure.

8. Impacts due to transportation: The entire mineral will be transported through trucks. Transportation shall be done by 2 no. of 10 tonner trucks. As per study done there will not be any congestion due to proposed project on the road.

Environmental Monitoring Programme:

The environmental monitoring is important to assess performance of pollution control equipment installed at the project site. The sampling and analysis of environmental attributes including monitoring locations will be as per guidelines of the Central Pollution Control Board/State Pollution Control Board

Environmental monitoring will be conducted on regular basis by Sri Koberth Ch. Marak to assess the pollution level in and around the project area

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

 Adequate budgetary provision shall be made towards implementation of Environmental Management Plan

Risk Assessment & Disaster Management Plan: Mining will be carried out by semi mechanized opencast mining, with mining equipments as hydraulic excavator, dumpers etc involving drilling and blasting. Mining will be done under strict supervision hence the rate of operational risks is minimal.

Rehabilitation and Resettlement: There will be no rehabilitation and resettlement on account of mining. There is no human habitation at the project site and the land is deemed forest land.

Project benefits: The proposed mining project has a significant positive impact on the socio-economic environment and it will help sustain the overall development of the area.

The proposed project significantly contributes the economic development by providing direct employment to 25 people and indirect employment to many more people in the area.

PP will organize Camps for vocational training to generate employment.

Environmental Management Plan: Preparation of Environmental Management Plan (EMP) is required for formulation, implementation and monitoring of environmental protection measures during and after commissioning of the proposed mining project. The project cost is Rs.29.40 Lakh and the EMP capital cost Rs. 1.874 Lakh (Annual recurring cost).

SI. No.	Particulars	Annual Recurring Cost
1.	Air pollution control (Dust Suppression along haulage road& Mine lease area)	30000.00
2.	Plantation & maintenance 53 plants per year @ Rs. 200/ per plant.	10600.00
3.	Environment Monitoring (Air, Water, Noise & Soil Monitoring)	120000.00
4.	Personal Protective Equipment/	26800.00

Budgetary Provision for Environmental Measures:

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

	Occupational Health Safety measures		
	Total	187400.00	

Corporate Social Responsibility:

Being a corporate citizen the company has the responsibility of contributing to the welfare of the society in which it operates. The company will organize various awareness programmes for its employee and the general public of the area where it operates to ensure a better, sustainable way of life for the weaker sections of society.

Budgetary Provision for CSR Activity

ACTIVITIES	COST (In Rs)
Promoting education (10 students @ 10,000 Rupees per student) in nearby villages	1,00,000.00
Distribution of two street solar light @ 23,500 Rupees per solar light) in village.	47,000.00
Total	1,47,000.00
Total for five years i.e. 5% of project cost	1,47,000.00

Occupational Health and Safety:

Effective implementation of measures suggested for pollution control will ensure safety and health of the workers.

Green belt development: It has been initiated by the proponent 0.17 ha will be planted during plan period. However as per conceptual plan 0.34 Ha. lease area will be planted. Locally thriving species will be planted in consultation with forest department.

Among other environmental protection following measures are listed below:

- > Sprinkling of water for dust suppression on mine haul roads.
- > Regular Compaction & grading of haul roads and service roads to clear

APPLICANT: SHRI KOBERTH CH. MARAK EXECUTIVE SUMMARY

accumulation of loose material.

- > Avoid overloading of dumpers and consequent spillage on the roads.
- > Good maintenance of vehicles & machinery.
- Water sprinklers of fixed type will be provided at the mine approach roads from mine face / benches to crush hopper to prevent the generation of dust.